

# PRS Global Open

## Multimodal Radiofrequency Application for Lower Face and Neck Laxity: Subdermal Adipose Remodeling and Fibro Septal Network Contraction --Manuscript Draft--

<b>Manuscript Number:</b>	GOX-D-19-00620R2
<b>Full Title:</b>	Multimodal Radiofrequency Application for Lower Face and Neck Laxity: Subdermal Adipose Remodeling and Fibro Septal Network Contraction
<b>Article Type:</b>	Original Article
<b>Section/Category:</b>	Cosmetic
<b>Corresponding Author:</b>	Erez Dayan, MD Brigham and Women's Hospital Boston, UNITED STATES
<b>Corresponding Author Secondary Information:</b>	
<b>Corresponding Author's Institution:</b>	Brigham and Women's Hospital
<b>Corresponding Author's Secondary Institution:</b>	
<b>First Author:</b>	Erez Dayan, MD
<b>First Author Secondary Information:</b>	
<b>Order of Authors:</b>	Erez Dayan, MD
	Paolo Rovatti, MD
	Sherell Aston, MD
	Christopher T. Chia, MD
	Rod Rohrich, MD
	Spero Theodorou, MD
<b>Order of Authors Secondary Information:</b>	
<b>Manuscript Region of Origin:</b>	UNITED STATES
<b>Abstract:</b>	<p>p.p1 {margin: 0.0px 0.0px 0.0px 0.0px; font: 9.0px Helvetica; color: #333666}  Introduction: Non-excisional facial skin tightening has long been an elusive goal in aesthetic surgery. The 'treatment gap' includes patients who are not 'severe' enough for excisions surgery but not 'mild' enough for most traditional non-invasive aesthetic modalities. In this retrospective review, we present the largest evaluation to date of radiofrequency skin tightening technology combination including bipolar radiofrequency (Facetite, InMode) and fractional bipolar radiofrequency (Fractora modified to Morpheus8, InMode)  Methods: A multicenter retrospective study was conducted between January 2013 - December 2018 using a combination of bipolar radiofrequency and fractional bipolar radiofrequency for the treatment of facial aging. Data collection included demographic information, Baker face/neck classification, amount of energy used, as well as adverse events and patient satisfaction. Four cadaver dissections were also conducted to correlated the underlying neuromuscular anatomy to radiofrequency treatment of the lower face and neck.  Results: 247 patients (224 Female, 23 Male) were included in the study. Average age was 55.1 (STD +/- 8), BMI 24.3 (+/- 2.4), 12% (23/247) of patients were active smokers at the time of treatment, Patients were an average 3.1 Baker Face Neck Classification (STD +/-1.4). 97.2% (240/247) of patients had procedure under tumescent local anesthesia. Patients objectively improved their Baker Face Neck Classification by 1.4 points (STD +/- 1.1). 93% of</p> <p>p.p1 {margin: 0.0px 0.0px 0.0px 0.0px; font: 9.0px Helvetica; color: #333666}</p>

	<p>patients indicated they were pleased with their results and would undergo the procedure again. Complications recorded for our cohort included prolonged swelling &gt;6 weeks (4.8%, 12/247), hardened area &gt;12 weeks (3.2%, 8/247), and marginal mandibular neuropraxia (1.2% 3/247) which all resolved without further intervention. When considering possible control variables, age seems to be a significant factor. That is, older patients were more likely to benefit from a larger magnitude of the treatment effect (as demonstrated by a decrease in the Baker rating from pre- to post-treatment) compared to younger patients. However, both groups did demonstrate significant improvements across time.</p> <p>Conclusion: While this combination RF treatment (FaceTite bipolar RF and fractional bipolar RF) does not aim to replace a facelift/necklift in appropriate candidates, it does broaden the plastic surgeons' armamentarium to potentially fill a treatment gap.</p>
<b>Response to Reviewers:</b>	revisions all complete

**Multimodal Radiofrequency Application for Lower Face and Neck Laxity: Subdermal Adipose Remodeling and Fibro Septal Network Contraction**

Erez Dayan, MD,<sup>1</sup> Paolo Rovatti, MD,<sup>2</sup> Sherell Aston, MD,<sup>3</sup> Christopher T. Chia, MD,<sup>4</sup> MD, Rod Rohrich, MD,<sup>5</sup> Spero Theodorou, MD<sup>4</sup>

- 1. Avance Plastic Surgery Institute, Reno, Nevada
- 2. Paolo Rovatti, MD Verona, Italy
- 3. Manhattan Eye Ear & Throat Hospital, New York, New York
- 4. BodySculpt, New York, New York
- 5. Dallas Plastic Surgery Institute, Dallas, Texas

**Corresponding Author:**

Erez Dayan, MD  
Avance Plastic Surgery Institute  
5570 Longley Lane, Suite A  
Reno, Nevada  
[drdayan@avanceinstitute.com](mailto:drdayan@avanceinstitute.com)

*Disclosures:*

Erez Dayan, MD- consultant InMode, book royalties Thieme & Elsevier, co-investigator Allergan, Galderma, MTF  
Paolo Rovatti, MD- consultant InMode  
Sherell Aston, MD- consultant InMode  
Christopher T. Chia, MD- consultant InMode  
Rod Rohrich, MD- book royalties Thieme, Instrument royalties Micrins, co-investigator Allergan, Galderma, MTF, InMode  
Spero Theodorou, MD- consultant InMode

## **Introduction:**

Non-excisional correction of facial soft tissue laxity has long been an elusive goal in aesthetic surgery. Improvements in skin texture, dyschromias, and deflation are achievable with chemical peels, lasers, microneedling, and fillers. Areas of neck adiposity may be treated using liposuction, deoxycholic acid (Kybella, Allergan, Dublin, IR) and cryolipolysis (CoolSculpting, Allergan, Dublin, IR) with limited improvements in properly selected patients. However, even in cases where these treatments appear successful, skin and- soft tissue laxity often remain uncorrected.

There are three groups of patients with facial skin laxity that we characterize as part of a 'treatment gap': (1) young patients whose skin redundancy is not 'severe' enough to justify a traditional excision procedure (i.e. facelift/necklift), but also not 'mild' enough to treat with liposuction or noninvasive procedures alone; (2) patients that have already undergone a facelift or necklift, who present with recurrent laxity, and (3) patients who may benefit from traditional face/necklift but want to avoid surgery and are willing to accept a more modest improvement.

Energy-assisted skin tightening procedures have rapidly evolved over the past decade. Multiple technologies including laser, high-intensity focused ultrasound (HIFU), and radiofrequency (RF) have been developed in an attempt to meet this rising demand.<sup>1-8</sup> Radiofrequency technology has steadily gained popularity since the early 2000s with consecutive increases annually of 10% or more.<sup>9,10</sup> These gains encompass aesthetic surgery as well as numerous non-aesthetic applications (tissue electrodissection, cardiac catheter ablation, ophthalmic surgery, etc).<sup>7</sup> Through impedance of electromagnetic current, RF waves lead to differential heating across distinct tissue types consistent with Ohm's law ( $\text{energy} = \text{current}^2 \times \text{impedance} \times \text{time}$ ). For example, adipose tissue is less conductive than water (higher impedance), and leads to generation of higher temperatures than muscle. Once soft tissue temperatures reach 50C and skin surface reaches 40-42C there is a trigger to induce neocollagenesis, angiogenesis, and elastogenesis. Through different applications of RF energy (i.e. monopolar, bipolar, multipolar, microneedling), subdermal adipose remodeling (SAR) and long-term soft tissue contraction can be safely and consistently achieved.

An increasingly popular soft tissue tightening technique of the lower face and neck has been a combination procedure (Embrace Protocol, InMode, Lake Forest, CA) using bipolar radiofrequency (FaceTite, InMode, Lake Forest, CA) and fractional bipolar RF (Fractora modified to Morpheus8, InMode Aesthetics, Lake Forest, CA).<sup>11</sup> The purpose of this manuscript is to evaluate this combination therapy in the largest study to date.

## **Methods:**

A multicenter retrospective study was conducted evaluating treatments from January 2013-December 2018 (New York, NY; Dallas, TX; Verona, Italy) using combination of bipolar radiofrequency (Facetite, InMode Aesthetics, Lake Forest, CA) and RF microneedling (Fractora modified to Morpheus8, InMode Aesthetics Lake Forest, CA) for the treatment of facial aging. Procedures were performed by all authors of this manuscript (E.D., S.T., P.R., R.J.R., C.T.C, S.A.).

Patients all voluntarily presented to respective plastic surgery practices with a desire to improve facial aesthetics. Patients included in the study were deemed to fit into one of the three aforementioned treatment gaps. Exclusion criteria included: active infection, collagen disorders, immunocompromised state, medications that mitigate inflammatory response, and propensity for keloids/hypertrophic scarring. Valcyclovir was given to patients with history of Herpes Simplex. All Fitzpatrick types were included in the study.

Patient were all marked in standardized fashion, first identifying the mandibular border and jowls bilaterally. The jowls were subdivided into Zone 1 (above mandibular border) and Zone 2 (below mandibular border). Areas of localized adiposity in the lower face and neck region were marked. Non-treatment zones were identified by carrying a line inferiorly perpendicular to the lip commissures (i.e. marionette lines). The area medial to these lines were avoided, to preserve marginal mandibular innervation to the depressor anguli oris, mentalis, and depressor labii inferioris. Five access points are identified: (1) the submental midline (2) 1-2cm inferior to the mandibular parasymphesial/body junction, (3) post auricular. (Video 1) (See Video 1 [online] which displays bipolar radiofrequency markings)

Depending on clinical circumstances and patient desires, cases were performed either under general or local anesthesia. In cases of local anesthesia, patients were pre-medicated with oxycodone (5mg) and/or benzodiazepam (5mg). Access sites were each injected with 2-4cc of 2% lidocaine with epinephrine. A 14-gauge needle was used to make access ports that were slightly dilated with Stevens scissors. A spinal needle was used to slowly infiltrate tumescent solution (1g lidocaine per liter of Lactate Ringers solution ) from deep to superficial, starting in the pre-platysmal plane and moving to the subdermal plane (approx. 100-150cc of tumescent total). At the conclusion of tumescent infiltration, the cannula was passed through the subdermal plane to confirm adequate analgesia.

In all cases, bipolar radiofrequency was performed first. The RF settings included an internal temperature cutoff of 68C and external cutoff temperature of 38C. The RF cannula was used to pre-tunnel treatment areas for ease of treatment. The predetermined treatment areas were systematically heated to avoid heat loss when treating wide areas. RF application was applied on retrograde movement of the cannula and stopped within 1cm of the access port to prevent overheating this area. Audible and visual cues from the RF console were used to assess temperature of tissues and treatment was stopped after one minute of reaching target internal and external temperatures. (Video 2) (See Video 2 [online] which displays bipolar radiofrequency technique)

Fractional bipoar RF (Fractora modified to Morpheus8, InMode Aesthetics) was subsequently used at a depth of 2mm and energy of energy 30 with 50% overlap. The hand-piece was applied firmly and perpendicular to the treatment area prior to delivery of RF energy pulses. (Video 3)( See Video 3 [online] which displays RF microneedling technique.) In patients with thinner skin or darker Fitzpatrick types, energy settings were reduced by 20%. Patients were seen at 1 week, 1 month, 3 month, 6 month intervals.

Data evaluated included demographic information, prior procedural history, anesthesia, medications, Baker face/neck classification, amount of energy used, as well as adverse events. The Baker face/neck classification comparing pre- and postprocedure photos was the primary outcome evaluated. Three independent plastic surgeons graded the pre and post procedure photos and subsequently a t-test was used to determine statistical significance. Repeated measured ANOVA test was used to determine any impact of control variables.

Additionally, four cadaver dissections were conducted in order to correlate the underlying neurovascular anatomy to access points and application of RF energy. These cadaver specimens were treated with the combination procedure mentioned previously and dissections were subsequently performed to identify proximity and potential impact on underlying specific neurovascular structures (i.e. marginal mandibular nerve, facial vessels, etc).

## Results:

247 patients (234 Female, 13 Male) were included in the study. Average age was 55.1 (STD +/- 8), BMI 24.3 (+/- 2.4), 12% (23/247) of patients were active smokers at the time of treatment, 2% (5/247) had prior neck liposuction and 8.5% (21/247) had prior facelift/necklift. Patients were an average 3.1 Baker Face Neck Classification (STD +/-1.4). 97.2% (240/247) of patients had procedure under tumescent local anesthesia (50cc 2% Lidocaine, 1.5mg epinephrine, 1.5cc bicarbonate, in 1L or Lactated Ringers solution) and 2.8% (7/247) had the procedure under general anesthesia or IV sedation. Average procedure time was 58 min (STD +/-23). All patients were given Valium and cephalosporin antibiotics prior to the procedure.

Average energy used per jowl was 3.2kJ (STD 1.1). Patients objectively improved their Baker Face Neck Classification by 1.4 points (STD +/- 1.1). 93% of patients indicated they were pleased with their results and would undergo the procedure again. Average follow-up time was 2.1 years (STD +/- 1.1).

In order to test the efficacy of the treatment, a one-way, repeated measured t-test was conducted. A decrease of pre-test to post-test Baker Face Neck Classification rating mean values would indicate a positive effect of the treatment. Indeed, the t-test demonstrated a favorable effect of the treatment of the 247 patients. The pre-test mean value was 2.66 (SD = 0.72) and the post-test mean value was 1.86 (SD = 0.64). This mean difference ( $\mu = 0.81$ , SD = 0.46) was statistically significant:  $t(237) = 27.34$ ,  $p < .001$ , and the effect size was large ( $D = 1.76$ ). In other words, the mean values of the patients' Baker Face Neck Classification decreased as a result of the treatment. (SDC1) (See figure, Supplemental Digital Content 1 which displays pre and post treatment Baker Face Neck Classification. [INSERT LINK HERE](#))

However, it is also possible several control variables may have had an un-hypothesized effect on the relationship. Thus, a one-way, repeated measures ANOVA test was conducted, inclusive of control variables. These control variables were: 1) patient gender, 2) patient smoking habit, 3) patient liposuction history, 4) patient weight, 5) patient age (dichotomized at the median value – 55), 6) patient body mass index, 7) right jowl energy (in kJ), 8) left jowl energy (in kJ), and 9) neck energy (in KJ). While 247 valid cases were present, complete data were present for 238 patients; thus, data from 9 patients were excluded in these analyses. The following table presents the mean values or percentages of the control variables in the overall fitted model.

(SDC2) (See table, Supplemental Digital Content 2 which displays the descriptive statistics. INSERT LINK HERE)

When considering the overall model, it is clear from the analysis the treatment was effective in reducing the Baker Face Neck Classification rating: Pre-Treatment Baker Classification  $\mu = 2.62$  (SE = .03), Pre-Treatment Baker Classification  $\mu = 1.84$  (SE = .03);  $F(1, 208) = 11.36$ ,  $p = .001$ . None of the control variables was statistically significant, except for age. A significant treatment by age interaction effect was present:  $F(1, 208) = 17.53$ ,  $p < .001$ . Simply, this indicates that the Baker Neck Classification pre- and post-treatment rating is different at different age groups. Looking at the mean values demonstrates that while older patients seem to benefit from the treatment more than younger patients by a larger magnitude, both age groups still show marked and significant improvements in their Baker Neck Classification scores from pre-treatment to post-treatment, as evidenced by Supplemental Digital Content 3. (See figure, Supplemental Digital Content 3 which displays Baker Face Neck Classification by treatment age. INSERT LINK HERE)

Complications recorded for our cohort included prolonged swelling >6 weeks (4.8%, 12/247), hardened area >12 weeks (3.2%, 8/247), and marginal mandibular neuropraxia (1.2% 3/247) which all resolved without further intervention. There were no repeat treatments or cases requiring operative intervention following RF treatment.

## Discussion:

While this combination RF treatment (FaceTite bipolar RF and fractional bipolar RF) does not aim to replace a facelift/necklift in appropriate candidates, it does broaden the plastic surgeons' armamentarium to potentially fill a treatment gap. Also, it provides patients with an option to improve facial soft tissue laxity without traditional surgery.

In recent years, RF has emerged as an effective treatment to achieve non-ablative skin tightening.<sup>6,7,10,12,13</sup> Heating the dermal tissue to 42C has been shown to trigger a healing cascade that leads to stimulation of new collagen and elastin formation.<sup>9,14-16</sup> In animal studies, after 10 minutes of exposure to temperatures of 39-43C the amount of collagen increased from average of 9% before therapy to 25.9% after 3 month follow up period compared with no change in untreated areas.<sup>4,17</sup> Clinical studies on RF assisted liposuction have shown up to 25% area contraction at 6 months and 35-40% achieved at 1 year.<sup>10,18-20</sup> Other studies have similarly shown through electron microscopy, that collagen fibrils had greater diameter post RF treatment. Additionally Northern blot analysis confirmed microinflammatory stimulation of fibroblasts and other substances that enhance dermal structure.<sup>21</sup> RF has not only been proven effective for skin tightening but it has also been studied and proven effective in diminishing adipocytes.<sup>14</sup>

A number of RF applications are available to apply this energy in different ways (monopolar, bipolar, multipolar, microneedling). The two RF delivery methods (bipolar radiofrequency and fractional bipolar RF) in this study achieve different treatment goals. The

bipolar RF applicator employs a small 1.8mm in diameter, 13cm long, silicone coated RF-emitting probe. This directs electrical current flow from the internal to external electrodes connected by the handpiece. As current is applied, heat coagulates subcutaneous fat in close proximity to the internal probe and denatures the reticular dermis while preserving the papillary dermis. The controlled heating allows for immediate tightening of the collagen triple helix via breakdown of hydrogen bonds in collagen causing shrinkage of normal collagen structure; as well as induction of the healing cascade leading to neocollagenesis, elastin remodeling, and angiogenesis over the following 3-4 months.<sup>9</sup> Additionally, using a parachute analogy, application of heat tightens the overlaying fibroseptal networks (strings) and serves to uniformly contract the overlaying skin (parachute). Complications are minimized by internal and external temperature and impedance probes to rapidly detect (10X/msec) the soft tissue environment and automatically turn off RF energy if beyond preset safety parameters. (Fig1-2)

In bipolar RF, the penetration depth is half of the distance between the electrodes, meaning the energy does not reach beyond the epidermis. Many attempt to circumvent this limitation by combining RF with other technologies to penetrate deeper, such as application of a vacuum to thin skin, infrared light pretreatment to change impedance, or cooling procedures to increase penetration depth.<sup>4</sup> In this study, the effect of bipolar radiofrequency treatment was augmented by performing fractional bipolar RF in the same session. Fractional bipolar RF (Fractura modified to Morpheus8, InMode Aesthetics) deploys RF-emitting needles at variable programmable depths and energies depending on the region being treated. Unlike fractional CO<sub>2</sub> or erbium, the fractional bipolar RF resurfacing can induce three types of effects- minimal superficial ablation for dyschromias and rhytids, controlled dermal coagulation for tissue renewal, and overall volumetric heating for collagen stimulation.<sup>4</sup> Also, in contrast to fractional photothermolysis that creates thermal injury that tapers as it descends deeper, fractional bipolar RF creates zones of dermal injury narrowest at the epidermis with conical enlargement as the microneedles descend until the pattern is truncated by attenuation.<sup>10</sup> When the RF needles penetrate deep to the dermis there is a 'molding' component of the subdermal adipose tissue we term 'subdermal adipose remodeling'. Hruza et al showed that 90% of patients with skin types II to IV had improvement in smoothness and rhytids, 87% in skin tightness.<sup>16</sup> Seo et al compared facial soft tissue laxity improvement with RF versus surgical facelift using blinded grading of photographs. They demonstrated a 49% improvement in skin laxity relative to baseline for surgical facelift compared to 16% for fractional bipolar radiofrequency. Further, the mean laxity improvement from a single fractional bipolar radiofrequency treatment was 37% of the surgical facelift.<sup>13</sup> Peterson et al also studied objective measurements of mechanical skin properties and demonstrated a statistically significant improvement (5-12% decrease in Young's modulus and 10-16% decrease in retraction time) as well as 1.42 grade improvement on the Fitzpatrick scale for wrinkles, and 0.66 on the Alexiades scale for skin laxity, increasing to 1.57 and 0.70 improvement at 6 months. Patient satisfaction was noted to be 'very high' for >90% of patients.<sup>22</sup> A clinical study of the microneedle fractional bipolar RF handpiece (Intensif handpiece, EndyMed, Caesarea, Israel) demonstrated significant improvement after two sessions and after 4 and 12 weeks of follow-up.<sup>6</sup> A similar system (Scarlet, Korea) was studied in three consecutive sessions 4 weeks apart. Immunohistochemical staining (fibrillin-1) showed a significant increase in dermal collagen content at 4 weeks after three sessions compared to



baseline as well as significant increase in fibrillin-1 density from the dermal epidermal junction to the deep dermis compared to baseline.<sup>23</sup>

Other studies have demonstrated efficacy of combined multimodal RF application for facial aesthetic purposes. Kaplan et al. used three RF delivery methods together (nonablative skin tightening, RF fractional skin resurfacing, microneedling RF) on 14 subjects showing improvements (>50%) in skin texture, laxity, and rhytids in 43% of the cohort without adverse effects or significant downtime. Previous studies have shown efficacy of non-ablative multi-source RF as a single modality for face/body contouring.<sup>15,20,24</sup> Other studies have shown the efficacy of RF microneedling as a single modality<sup>25</sup> and the efficacy of a combination of non-ablative RF and fractional skin resurfacing.<sup>26</sup> Similar to our findings, Mulholland identified the benefit of combining bipolar RF and fractional RF; stating that combining these applications allows for thermal stimulation for an 'inside-outside dermal stimulation' which can induce both an ablative rejuvenation of dyschromia, fine lines, and rhytides as well as nonablative deeper dermal tightening. Our study findings were consistent with Mulholland's conclusion, that combination therapy can deliver safe and consistent soft tissue rejuvenation.

The anatomic dissections performed as part of this study demonstrated the important surgical anatomy relevant to this procedure. Specifically, the marginal mandibular nerve was found to always be above the inferior border of the mandible while anterior to the facial artery. The position was more variable posterior the facial artery, in which case it was above the inferior border of the mandible in majority of cases. Importantly, consistent with prior anatomic studies, at approximately 2cm from the oral commissure the marginal mandibular nerve divides and subdivides to enter the lip depressors. At this anatomic location, the skin and underlying muscle planes are closely adherent. It is for this anatomic reason that we elect to not treat areas medial to the marionette lines. Using this anatomic knowledge and aforementioned access ports, we found no nerve injuries (i.e. transection, neuropraxia) and no extension of the device heat signature to in proximity of the marginal mandibular nerve - consistent with the relatively low complication rate in the clinical arm of the study.

## **Conclusion:**

Combination therapy of bipolar radiofrequency and fractional radiofrequency had a positive effect on reducing the Baker Face Neck Classification rating. When considering possible control variables older patients were more likely to benefit from a larger magnitude of the treatment effect (as demonstrated by a decrease in the Baker rating from pre- to post-treatment) compared to younger patients. However, both groups did demonstrate significant improvements across time.

## Legend:

SDC 1. See figure, Supplemental Digital Content 1 which displays pre and post treatment Baker Face Neck Classification. INSERT LINK HERE

SDC 2. See table, Supplemental Digital Content 2 which displays the descriptive statistics.  
INSERT LINK HERE

SDC 3. See figure, Supplemental Digital Content 3 which displays Baker Face Neck Classification by treatment age. INSERT LINK HERE

Figure 1. **12 month postop result** of radiofrequency assisted liposuction with fractional bipolar radiofrequency 12 months

Figure 2. **24 month postop result** radiofrequency lower face and neck treatment with fractional bipolar radiofrequency

Video 1. This video displays bipolar radiofrequency markings

Video 2. This video displays bipolar radiofrequency technique

Video 3. This video displays RF microneedling technique

#### References:

1. Alster TS, Graham PM. Microneedling: A Review and Practical Guide. *Dermatol Surg*. 2018;44(3):397-404.
2. Brightman L, Weiss E, Chapas AM, et al. Improvement in arm and post-partum abdominal and flank subcutaneous fat deposits and skin laxity using a bipolar radiofrequency, infrared, vacuum and mechanical massage device. *Lasers Surg Med*. 2009;41(10):791-798.
3. Chia CT, Theodorou SJ, Hoyos AE, Pitman GH. Radiofrequency-Assisted Liposuction Compared with Aggressive Superficial, Subdermal Liposuction of the Arms: A Bilateral Quantitative Comparison. *Plast Reconstr Surg Glob Open*. 2015;3(7):e459.
4. Fritz K, Salavastru C. Ways of Noninvasive Facial Skin Tightening and Fat Reduction. *Facial Plast Surg*. 2016;32(3):276-282.
5. Iriarte C, Awosika O, Rengifo-Pardo M, Ehrlich A. Review of applications of microneedling in dermatology. *Clin Cosmet Investig Dermatol*. 2017;10:289-298.
6. Sadick NS, Makino Y. Selective electro-thermolysis in aesthetic medicine: a review. *Lasers Surg Med*. 2004;34(2):91-97.
7. Surgeons ASOP. New Statistics Reveal the Shape of Plastic Surgery 2018; <https://www.plasticsurgery.org/news/press-releases/new-statistics-reveal-the-shape-of-plastic-surgery>. Accessed November 10, 2018, 2018.
8. Surgery ASOP. Cosmetic Surgery National Data Bank Statistics. 2017.
9. Hodgkinson DJ. Clinical applications of radiofrequency: nonsurgical skin tightening (thermage). *Clin Plast Surg*. 2009;36(2):261-268, viii.
10. Sadick N, Rothaus KO. Minimally Invasive Radiofrequency Devices. *Clin Plast Surg*. 2016;43(3):567-575.
11. Dayan E, Chia C, Burns AJ, Theodorou S. Adjustable Depth Fractional Radiofrequency Combined With Bipolar Radiofrequency: A Minimally Invasive Combination Treatment for Skin Laxity. *Aesthet Surg J*. 2019;39(Supplement\_3):S112-S119.
12. Irvine Duncan D. Nonexcisional tissue tightening: creating skin surface area reduction during abdominal liposuction by adding radiofrequency heating. *Aesthet Surg J*. 2013;33(8):1154-1166.

13. Seo KY, Yoon MS, Kim DH, Lee HJ. Skin rejuvenation by microneedle fractional radiofrequency treatment in Asian skin; clinical and histological analysis. *Lasers Surg Med.* 2012;44(8):631-636.
14. Hantash BM, Ubeid AA, Chang H, Kafi R, Renton B. Bipolar fractional radiofrequency treatment induces neoelastogenesis and neocollagenesis. *Lasers Surg Med.* 2009;41(1):1-9.
15. Harth Y. Painless, safe, and efficacious noninvasive skin tightening, body contouring, and cellulite reduction using multisource 3DEEP radiofrequency. *J Cosmet Dermatol.* 2015;14(1):70-75.
16. Hruza G, Taub AF, Collier SL, Mulholland SR. Skin rejuvenation and wrinkle reduction using a fractional radiofrequency system. *J Drugs Dermatol.* 2009;8(3):259-265.
17. Weiss R, Weiss M, Beasley K, Vrba J, Bernardy J. Operator independent focused high frequency ISM band for fat reduction: porcine model. *Lasers Surg Med.* 2013;45(4):235-239.
18. Theodorou SJ, Paresi RJ, Chia CT. Radiofrequency-assisted liposuction device for body contouring: 97 patients under local anesthesia. *Aesthetic Plast Surg.* 2012;36(4):767-779.
19. Theodorou SJ, Del Vecchio D, Chia CT. Soft Tissue Contraction in Body Contouring With Radiofrequency-Assisted Liposuction: A Treatment Gap Solution. *Aesthet Surg J.* 2018;38(suppl\_2):S74-S83.
20. Royo de la Torre J, Moreno-Moraga J, Munoz E, Cornejo Navarro P. Multisource, Phase-controlled Radiofrequency for Treatment of Skin Laxity: Correlation Between Clinical and In-vivo Confocal Microscopy Results and Real-Time Thermal Changes. *J Clin Aesthet Dermatol.* 2011;4(1):28-35.
21. Zelickson BD, Kist D, Bernstein E, et al. Histological and ultrastructural evaluation of the effects of a radiofrequency-based nonablative dermal remodeling device: a pilot study. *Arch Dermatol.* 2004;140(2):204-209.
22. Peterson JD, Palm MD, Kiripolsky MG, Guiha IC, Goldman MP. Evaluation of the effect of fractional laser with radiofrequency and fractionated radiofrequency on the improvement of acne scars. *Dermatol Surg.* 2011;37(9):1260-1267.
23. Seo KY, Kim DH, Lee SE, Yoon MS, Lee HJ. Skin rejuvenation by microneedle fractional radiofrequency and a human stem cell conditioned medium in Asian skin: a randomized controlled investigator blinded split-face study. *J Cosmet Laser Ther.* 2013;15(1):25-33.
24. Elman M, Vider I, Harth Y, Gottfried V, Shemer A. Non-invasive therapy of wrinkles and lax skin using a novel multisource phase-controlled radio frequency system. *J Cosmet Laser Ther.* 2010;12(2):81-86.
25. Elawar A, Dahan S. Non-insulated Fractional Microneedle Radiofrequency Treatment with Smooth Motor Insertion for Reduction of Depressed Acne Scars, Pore Size, and Skin Texture Improvement: A Preliminary Study. *J Clin Aesthet Dermatol.* 2018;11(8):41-44.
26. Elman M, Harth Y. Novel multi-source phase-controlled radiofrequency technology for non-ablative and micro-ablative treatment of wrinkles, lax skin and acne scars. *Laser Ther.* 2011;20(2):139-144.

Your image file "Fig1.tif" cannot be opened and processed. Please see the common list of problems, and suggested resolutions below.

Reason: The image file is corrupt or invalid. Please check and resubmit.

Other Common Problems When Creating a PDF from an image file

-----

You will need to convert your image file to another format or fix the current image, then re-submit it.

Your image file "Fig2.tif" cannot be opened and processed. Please see the common list of problems, and suggested resolutions below.

Reason: The image file is corrupt or invalid. Please check and resubmit.

Other Common Problems When Creating a PDF from an image file

-----



You will need to convert your image file to another format or fix the current image, then re-submit it.




Click here to access/download  
**Supplemental Digital Content**  
SDC1.pdf





Click here to access/download  
**Supplemental Digital Content**  
SDC\_2.pdf





Click here to access/download  
**Supplemental Digital Content**  
SDC\_3.pdf








[Click here to access/download](#)

**Video**

Video 2.mp4






[Click here to access/download](#)

**Video**

Video 3.mp4





[Click here to access/download](#)

**Video**

Video 1.mp4




{I (we) understand an example of such a financial interest would be a consulting relationship or stock interest in any business entity which is included in the subject matter of the manuscript or which sells a product relating to the subject matter of the manuscript.}


In addition to filling out and signing this declaration, *I acknowledge that I (we) also made complete disclosure in the manuscript itself*, stating all sources of funds that have supported this work and also a statement of financial interest, if any. Each author on the manuscript has disclosed any commercial association or financial disclosure that might pose a conflict of interest with information presented in this manuscript. *If the authors have no financial interest or commercial association with any of the subject matter or products mentioned in our manuscript, that too will be indicated.* I (we) hereby agree that such disclosures will be printed with the manuscript if it is accepted.

Furthermore, I (we) understand that potential sanctions may be imposed by *Plastic and Reconstructive Surgery* for violation of this complete disclosure policy. I (we) understand that potential disciplinary actions may include warning letters, refusal to publish an article in question, retraction of a published paper, notification to our primary institution, and/or exclusion from publication in *Plastic and Reconstructive Surgery* for a specified time frame.

The corresponding author has the obligation of having any and all co-authors sign this form and date his or her signature.

**Each author must sign and date:**

  
Signature and Date 10/29/19

  
Signature and Date 10/29/19

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

Copyright© 2013 American Society of Plastic Surgeons  
All rights reserved • Published for the ASPS by Lippincott Williams & Wilkins


## SIGNATURE PAGE

The Corresponding Author acknowledges and agrees that the Corresponding Author is entering into, and has executed, the Agreement on behalf of the Corresponding Author and each other author named as contributing to the Article (each such author, an "Author", and collectively, the "Authors"). The Corresponding Author represents and warrants that the Corresponding Author and each Author has read, understands, and has agreed to the terms of the Agreement, including, without limitation, the terms contained in the Agreement with respect to authorized reuse of the Article.

*IN WITNESS WHEREOF*, the Corresponding Author has executed this License, on behalf of all Co-Authors, effective as of the Effective Date.

PIER PAOLO ROVATI M.D.

**PRINT NAME**



**SIGNATURE**

Important Note: Once you electronically sign this form, you will not be able to make any additional changes to it.  
To electronically sign this form, click the signature field above and provide the information requested in the dialog boxes.

{I (we) understand an example of such a financial interest would be a consulting relationship or stock interest in any business entity which is included in the subject matter of the manuscript or which sells a product relating to the subject matter of the manuscript.}

In addition to filling out and signing this declaration, *I acknowledge that I (we) also made complete disclosure in the manuscript itself*, stating all sources of funds that have supported this work and also a statement of financial interest, if any. Each author on the manuscript has disclosed any commercial association or financial disclosure that might pose a conflict of interest with information presented in this manuscript. *If the authors have no financial interest or commercial association with any of the subject matter or products mentioned in our manuscript, that too will be indicated.* I (we) hereby agree that such disclosures will be printed with the manuscript if it is accepted.

Furthermore, I (we) understand that potential sanctions may be imposed by *Plastic and Reconstructive Surgery* for violation of this complete disclosure policy. I (we) understand that potential disciplinary actions may include warning letters, refusal to publish an article in question, retraction of a published paper, notification to our primary institution, and/or exclusion from publication in *Plastic and Reconstructive Surgery* for a specified time frame.

The corresponding author has the obligation of having any and all co-authors sign this form and date his or her signature.

**Each author must sign and date:**

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

30/10/2019 *Plavich*  
\_\_\_\_\_  
Signature and Date

Copyright© 2013 American Society of Plastic Surgeons  
All rights reserved • Published for the ASPS by Lippincott Williams & Wilkins

{I (we) understand an example of such a financial interest would be a consulting relationship or stock interest in any business entity which is included in the subject mater of the manuscript or which sells a product relating to the subject matter of the manuscript.}


In addition to filling out and signing this declaration, *I acknowledge that I (we) also made complete disclosure in the manuscript itself*, stating all sources of funds that have supported this work and also a statement of financial interest, if any. Each author on the manuscript has disclosed any commercial association or financial disclosure that might pose a conflict of interest with information presented in this manuscript. *If the authors have no financial interest or commercial association with any of the subject matter or products mentioned in our manuscript, that too will be indicated.* I (we) hereby agree that such disclosures will be printed with the manuscript if it is accepted.

Furthermore, I (we) understand that potential sanctions may be imposed by *Plastic and Reconstructive Surgery* for violation of this complete disclosure policy. I (we) understand that potential disciplinary actions may include warning letters, refusal to publish an article in question, retraction of a published paper, notification to our primary institution, and/or exclusion from publication in *Plastic and Reconstructive Surgery* for a specified time frame.


The corresponding author has the obligation of having any and all co-authors sign this form and date his or her signature.

Each author must sign and date:


Signature and Date

10/29/19

Signature and Date

10/29/19

Signature and Date

2/7/20

Signature and Date

Signature and Date

Copyright© 2013 American Society of Plastic Surgeons  
All rights reserved • Published for the ASPS by Lippincott Williams & Wilkins





## ***PRS Global Open*<sup>®</sup> – LICENSE TO PUBLISH**

This LICENSE TO PUBLISH (this "License"), dated as of:

**2/7/10**

**DATE**

(the "Effective Date"), is executed by the corresponding author listed on Schedule A (the "Author") to grant a license to the American Society of Plastic Surgeons, an Illinois not-for-profit corporation, having its principal place of business at 444 E. Algonquin Drive, Arlington Heights, IL 60005 (the "Society", and together with the Author, each, a "Party", and together, the "Parties").

### **1. Grant of License**

The Author hereby grants to the Society and its affiliates the exclusive, worldwide, royalty free, perpetual (for the duration of the applicable copyright) right and license to use the Work (as defined on Schedule A) for all commercial or educational purposes, including, but not limited to, publishing, reproducing, marketing, distributing (themselves and through distributors), sublicensing, and selling copies of the Work throughout the world for the Term. If the Author is a United States government employee, such license grant shall be limited to the extent the Author is able to grant such license.

### **2. Warranties, Indemnification, and Limitation of Liability**

a. The Author represents and warrants to the Society that:

(i) the Author has the right and power to enter into this License, to grant the rights and licenses granted pursuant to this License, and to perform all of the Author's other obligations contained in this License;

(ii) the Author has not previously assigned, transferred or otherwise encumbered the rights or licenses granted pursuant to this License; and that the person executing this License on the Author's behalf is authorized to do so;

(iii) the Work and the licenses granted herein do not and will not infringe upon, violate or misappropriate any intellectual property rights or any other proprietary right, contract or other right or interest of any third party;

(iv) if the Work is a multi-authored Work, the Author has obtained written permission from each author of the Work to enter into this License on behalf such author, and each such author has read, understands and has agreed to the terms of this License;

(v) the Author has obtained any necessary releases and permissions to quote from other sources in the Work and to include any works and materials in the Work, including all releases from patients whose names or likenesses are submitted as part of the Work; all such releases and permissions are in full force and effect, and the Author will promptly provide any such release or permission to the Society upon request by the Society;

(vi) neither the Work nor any content contained in the Work, in whole or in part, has been published or is being considered for publication other than in the Journal (as defined in Section 3.a.);

(vii) the Author has disclosed to the Society, prior to or simultaneously with submission of the Work, all intellectual contributions, technical help, financial or material support, and all financial or other relationships that may constitute or lead to a conflict of interest;

(viii) the Work is not subject to any rights of copyright other than the copyright of the Author and each other author of the Work;

(ix) the Work does not and will not violate the publicity or privacy rights of any third party, or libel or slander any third party;



- (x) the Work does not and will not contain any scandalous, obscene, or negligently prepared information;
- (xi) the Work is not and will not be fraudulent, plagiarized, or incorrectly attributed;
- (xii) no aspect of the Author's personal or professional circumstances currently, or in the past 12 months, causes the Author to have a conflict of interest with respect to the Work;
- (xiii) neither the Author, nor any member of the Author's immediate family, nor any individual or entity with whom or which the Author has or has had a significant working relationship has received anything of value from a commercial party related directly or indirectly to the subject of the Work; and
- (xiv) the Author has read and understands the statements on Schedule B and has completed Schedule B in its entirety.

b. The Author hereby indemnifies the Society and its directors, officers, employees, agents, and representatives and agrees to defend and hold them harmless from and against any and all liability, damage, loss, costs or expenses (including reasonable attorney's fees and costs of settlement) incurred by any such party arising out of, or relating to any misrepresentation in, or breach or alleged breach of the Author's representations or warranties in this License. If the Author fails to promptly or diligently pursue any defense of any indemnified party, the indemnified parties, or any of them, may assume such defense at the Author's expense. The obligations of this indemnification will survive any termination or expiration of this License.

### 3. Creative Commons License

a. If the Author has not selected either "Research Councils UK (RCUK)", "Wellcome Trust", "Austrian Science Fund (FWF)", "World Health Organization (WHO)", or "World Bank" in Item 1 of Schedule B, the following shall apply:

The Author acknowledges and agrees that the Work will be published by the Society in *Plastic and Reconstructive Surgery – Global Open* (the "Journal") and made freely available to users under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International Public License, as currently displayed at <http://creativecommons.org/licenses/by-nc-nd/4.0/legalcode> (the "CC BY-NC-ND"). The Author acknowledges and agrees that the Society is the exclusive "Licensor", as defined in the CC BY-NC-ND, of the Work and that the Society may make the Work freely available to all users under the terms of the CC BY-NC-ND.

b. If the Author has selected either "Research Councils UK (RCUK)", "Wellcome Trust", "Austrian Science Fund (FWF)", "World Health Organization (WHO)", or "World Bank" in Item 1 of Schedule B, the following shall apply:

The Author acknowledges and agrees that the Work will be published by the Society in *Plastic and Reconstructive Surgery – Global Open* (the "Journal") and made freely available to users under the terms of the Creative Commons Attribution 4.0 International Public License, as currently displayed at <http://creativecommons.org/licenses/by/4.0/legalcode> (the "CC BY"). The Author acknowledges and agrees that the Society is the exclusive "Licensor", as defined in the CC BY, of the Work and that the Society may make the Work freely available to all users under the terms of the CC BY.

### 4. Royalties

The Author acknowledges and agrees that this License entitles the Author to no royalties or fees. To the maximum extent permitted by law, the Author waives any and all rights the Author may have to collect royalties or other fees in relation to the Work or in respect of any use of the Work by the Society or its sublicensees.

### 5. Miscellaneous

a. Assignment. This License may not be assigned or transferred, in whole or in part, by the Author. The Society may freely assign this License. This License will be binding upon and inure to the benefit of the Parties hereto and their respective successors and permitted assigns.

b. Execution. Facsimile or Portable Document Format (PDF) signatures will be deemed original signatures for purposes of this License.

c. Entire Agreement; Amendment. This License sets forth the entire agreement of the Parties on the subject hereof and supersedes all previous or contemporaneous oral or written representations or agreements relating to the rights and duties provided herein, and may not be modified or amended except by written agreement of the Society.

d. Governing Law. This License shall be governed in all respects according to the laws of the State of Illinois without giving effect to the principles of conflict of law thereof.

e. Headings. All headings are for reference purposes only and shall not affect the meaning or interpretation of any provision hereof.

g. Severability. If any provision of this License is held to be illegal, invalid, or unenforceable under the present or future laws, then such provision shall be revised by a court of competent jurisdiction to be enforceable if permitted under applicable law, and otherwise shall be fully severable. In any event, this License shall be construed and enforced as if such illegal, invalid, or unenforceable provision had never comprised a part of this License, and the remaining provisions of this License shall remain in full force and effect and shall not be affected by the illegal, invalid, or unenforceable provision or by its severance from this License.

h. Status of the Parties. The Parties are independent contractors. Nothing in this License is intended to or shall be construed to constitute or establish any agency, joint venture, partnership or

fiduciary relationship between the Parties, and neither Party has the right or authority to bind the other Party nor shall either Party be responsible for the acts or omissions of the other Party.

i. Waiver; Amendment. The waiver by the Society of or the failure by the Society to claim a breach of any provision of this License shall not be, or be held to be, a waiver of any subsequent breach or affect in any way the further effectiveness of any such provision. No term or condition of this License may be waived except by an agreement by the Society in writing.

j. Waiver of Jury Trial. THE AUTHOR WAIVES THE AUTHOR'S RIGHT TO A JURY TRIAL IN CONNECTION WITH ANY DISPUTE OR LEGAL PROCEEDING ARISING OUT OF THIS AGREEMENT OR THE SUBJECT MATTER HEREOF.

# SCHEDULE A

The Author must complete this Schedule A in its entirety. The Society is unable to publish the Work unless this Schedule A is completely filled out.

Multimodal Radiofrequency Application for Lower Face and Neck Laxity: Subdermal Adipose Remodeling and Fibro Septal Network Contraction

---

**Article Title (the “Work”)**

Erez Dayan, MD

---

**Corresponding Author Name (the “Author”)**

Erez Dayan, MD

---

**Copyright Owner’s Name**

---

**Manuscript Number (Optional)**

## SCHEDULE B

The Author must complete this Schedule B in its entirety. The Society is unable to publish the Work unless this Schedule B is completely filled out.

### PUBLIC ACCESS POLICY FUNDING DISCLOSURE

Please disclose below if you or any other author of the Work has received funding for research on which the Work is based from any of the following organizations:

- ☐ National Institutes of Health (NIH)
- ☐ Howard Hughes Medical Institute (HHMI)
- ☐ National Institutes of Health Research (NIHR)
- ☐ Bill and Melinda Gates Foundation
- ☐ Charity Open Access Fund (COAF)
- ☐ Department of Health (DH)
- ☐ International Development Research Centre
- ☐ Research Councils UK (RCUK)
- ☐ Wellcome Trust
- ☐ Austrian Science Fund (FWF)
- ☐ Swedish Research Council
- ☐ World Health Organization (WHO)
- ☐ World Bank
- ☐ Worldwide Cancer Research
- ☐ Yorkshire Cancer Research

## CREATIVE COMMONS LICENSE

If Research Councils UK (RCUK), Wellcome Trust, Austrian Science Fund (FWF), Bill and Melinda Gates Foundation, Charity Open Access Fund (COAF), Department of Health (DH), International Development Research Centre, National Institute for Health Research (NIHR), Swedish Research Council, World Health Organization (WHO), World Bank, Worldwide Cancer Research, and Yorkshire Cancer Research has been selected, please select **Attribution CC BY** from the list below;

If (i) no selection has been made under "Public Access Policy Funding Disclosure" above or (ii) "Howard Hughes Medical Institute (HHMI)" has been selected under "Public Access Policy Funding Disclosure" above, please select **Attribution CC BY-NC-ND** from the list below.

*Select one from the list below:*

- ☐ **Attribution CC BY.** Creative Commons describes this license as follows: "This license lets others distribute, remix, tweak, and build upon your work, even commercially, as long as they credit you for the original creation. This is the most accommodating of licenses offered. Recommended for maximum dissemination and use of licensed materials."
- ☒ **Attribution-NonCommercial-NoDerivs CC BY-NC-ND.** Creative Commons describes this license as follows: "This license is the most restrictive of our six main licenses, only allowing others to download your works and share them with others as long as they credit you, but they can't change them in any way or use them commercially."

## SCHEDULE C

☐

### GOVERNMENT EMPLOYEES

If the Work or a portion of it has been created in the course of any author's employment by the United States Government, check the "Government" box at the end of this form. A work prepared by a government employee as part of his or her official duties is called a "work of the U.S. Government" and is not subject to copyright. If it is not prepared as part of the employee's official duties, it may be subject to copyright.

If "Government" is chosen, please skip to Schedule C and do not choose a Copyright Clearance License. The work will be published with "Written work prepared by employees of the Federal Government as part of their official duties is, under the U.S. Copyright Act, a "work of the United States Government" for which copyright protection under Title 17 of the United States Code is not available. As such, copyright does not extend to the contributions of employees of the Federal Government."

## SIGNATURE PAGE

The Corresponding Author acknowledges and agrees that the Corresponding Author is entering into, and has executed, the Agreement on behalf of the Corresponding Author and each other author named as contributing to the Article (each such author, an "Author", and collectively, the "Authors"). The Corresponding Author represents and warrants that the Corresponding Author and each Author has read, understands, and has agreed to the terms of the Agreement, including, without limitation, the terms contained in the Agreement with respect to authorized reuse of the Article.

*IN WITNESS WHEREOF*, the Corresponding Author has executed this License, on behalf of all Co-Authors, effective as of the Effective Date.

Erez Dayan, MD

---

PRINT NAME



---

SIGNATURE

**Important Note:** Once you electronically sign this form, you will not be able to make any additional changes to it.

To electronically sign this form, click the signature field above and provide the information requested in the dialog boxes.

Dayan

Enkwell Corresponding Author Last Name (Please Print)


PRS-D-\_\_\_\_-\_\_\_\_-\_\_\_\_-\_\_\_\_  
Enkwell Number

## AUTHOR FORMS


Please complete and sign all three forms.

### Form 1. Prior Publication Certification

**This manuscript contains original material. Neither the article nor any part of its essential substance, Tables or figures has been or will be published elsewhere before appearing in PRS.**

Signed (Corresponding Author): \_\_\_\_\_

2. Some of the material in this paper has been, or is being published elsewhere. Details are in the appended letter.

Signed (Corresponding Author): \_\_\_\_\_

**Form 2—PRS-GO uses the above Open Access License Agreement (see the first 6 pages of this form)**

### Form 3. Conflict of Interest Disclosure statement by an Author of a manuscript submitted to *Plastic and Reconstructive Surgery*

I, (We) \_\_\_\_\_ Erez Dayan \_\_\_\_\_ (Corresponding Author), have submitted for publication in *Plastic and Reconstructive Surgery*<sup>®</sup> a manuscript entitled:

\_\_\_\_\_ Erez Dayan \_\_\_\_\_ I, (We) hereby certify, that:

No financial support or benefits have been received by me or any co-author, by any member of my (our) immediate family or any individual or entity with whom or with which I (we) have a relationship from any commercial source which is related directly or indirectly to the scientific work which is reported on in the article except as described below.




{I (we) understand an example of such a financial interest would be a consulting relationship or stock interest in any business entity which is included in the subject matter of the manuscript or which sells a product relating to the subject matter of the manuscript.}

In addition to filling out and signing this declaration, *I acknowledge that I (we) also made complete disclosure in the manuscript itself*, stating all sources of funds that have supported this work and also a statement of financial interest, if any. Each author on the manuscript has disclosed any commercial association or financial disclosure that might pose a conflict of interest with information presented in this manuscript. *If the authors have no financial interest or commercial association with any of the subject matter or products mentioned in our manuscript, that too will be indicated.* I (we) hereby agree that such disclosures will be printed with the manuscript if it is accepted.

Furthermore, I (we) understand that potential sanctions may be imposed by *Plastic and Reconstructive Surgery* for violation of this complete disclosure policy. I (we) understand that potential disciplinary actions may include warning letters, refusal to publish an article in question, retraction of a published paper, notification to our primary institution, and/or exclusion from publication in *Plastic and Reconstructive Surgery* for a specified time frame.

The corresponding author has the obligation of having any and all co-authors sign this form and date his or her signature.

**Each author must sign and date:**

 2.7.20  
\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

Copyright© 2013 American Society of Plastic Surgeons  
All rights reserved • Published for the ASPS by Lippincott Williams & Wilkins

1/17

**DALLAS PLASTIC SURGERY INSTITUTE**  
**ROD J. ROHRICH, M.D.****Sarah**

Pt. Name: \_\_\_\_\_

Address: \_\_\_\_\_

**Harding**

City State Zip

DOB: \_\_\_\_\_

SSN: XXX-XX-\_\_\_\_\_

Sex: \_\_\_\_\_

Authorization for Audio Recording,  
Photography or other images,  
For Non Treatment Purposes  
Including Social Media

I hereby authorize Dr. Rod Rohrich and the Dallas Plastic Surgery Institute (DPSI) to make audio recordings or to take photographs, videotape, or digital images of me ("Images"). I understand that DPSI may use and release my images to the general public for the following purposes: (1) educational lectures and presentations for health care professionals; (2) scientific publications such as journals or books; (3) patient education materials; (4) broadcast, print or internet and social media for educational or public interest purposes.

I understand that after release of my images to the general public, they may be subject to redisclosure. I understand this authorization is voluntary and I may refuse to sign. Dr. Rod Rohrich or Dallas Plastic Surgery Institute may not condition my health care services on the completion of this authorization.

Unless otherwise revoked, I understand that this authorization will expire 50 years from the date of signature. I understand that I may revoke this authorization at any time, except to the extent that Dr. Rod Rohrich or the Dallas Plastic Surgery Institute has relied on this authorization, by sending a written statement of revocation that specifically refers to this authorization to:

Rod J. Rohrich, M.D.  
Dallas Plastic Surgery Institute  
9101 N. Central Expressway  
Suite 600  
Dallas, Texas 75231

I hereby release Dr. Rod Rohrich, Dallas Plastic Surgery Institute and employees from any and all liability connected with the capture, use or release of my images.

By signing this authorization, I acknowledge that I have read and understand the statements contained herein.

Patient: \_\_\_\_\_

Print Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

If Patient Has a Legal Representative, Complete the Following:

Print Name of Patient: \_\_\_\_\_

Print Name of Legal Representative: \_\_\_\_\_

Relationship to Patient: \_\_\_\_\_

By signing this authorization, I certify that I have the legal authority to serve as the above named patient's representative.

Signature of Legal Representative: \_\_\_\_\_

Date: \_\_\_\_\_



**Authorization for and Release of  
Medical Photographs, Slides, and/or Video Footage**

**VIDEOTAPE AND PHOTOGRAPHS  
RELEASE AND AUTHORIZATION**

I hereby irrevocably consent to and authorize the use and reproduction by Erez Dayan MD, Paul Durand MD, and their affiliates, or anyone authorized by them, of any and all photographs, electronic images, or video footage of me taken by Erez Dayan MD, Paul Durand MD, or that Erez Dayan MD, or Paul Durand MD has in their possession, provided either by me or by a third party (collectively, Images) for the purpose of improving care of others with similar conditions, and informing the general public about plastic surgery procedures/techniques without compensation to me.

Initial next to the uses of Images you agree to:

- ☒ Presentation at local, national or international meetings or publication in scientific journals
- ☒ Use as demonstration tool to provide other patients a realistic idea of the results they can expect
- ☒ Use in electronic media marketing, including the Erez Dayan MD website and RealSelf
- ☒ Use social media sites such as YouTube, Instagram, SnapChat, Facebook, and Twitter

☒ I hereby waive any right to inspect or approve the finished product, photograph, video, DVD, CD-ROM, or matter that may be used in conjunction therewith or to the eventual use that it might be applied.

☐ I require the right to inspect or approve the finished product, photograph, video, DVD, CD-ROM, or matter that may be used in conjunction therewith or to the eventual use that it might be applied.

Assuming all efforts are made by Erez Dayan MD, Paul Durand MD, and their affiliates to maintain confidentiality and anonymity, as outlined by the Health Insurance Portability and Accountability Act, I hereby release, discharge, and agree to hold harmless Erez Dayan MD, Paul Durand MD, and their affiliates and their respective representatives, assigns, and employees, and any person acting under their permission or authority, from and against any claims whatsoever in connection with the use of my Images and name and the reproduction thereof as stated above, including any claim for payment in connection with distribution or publication of the video and/or photographs.

I hereby warrant that I am over twenty-one years of age and competent to contract in my own name insofar as the above is concerned.

I have read and understand the foregoing release, authorization, and agreement, before signing my name below, and enter into it knowingly and voluntarily.

Date/Time: 11/8 3pm

Printed Name: X GABRIELLA SPERANZA

Signature: X [Signature]

I have read the above Release and Authorization. I am the parent, guardian, or conservatory of \_\_\_\_\_, a minor. I am authorized to sign this authorization on his/her behalf and I give this authorization in the interest of public education.

Date/Time: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Signature: \_\_\_\_\_

## Disclosure and Consent For Medical and Surgical Procedures

**To the patient: Regarding Your Surgery-** You have the right, as a patient, to be informed about your condition and the recommended surgical, medical, or diagnostic procedure to be used so that you may make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to make you better informed so you may give or withhold your consent to the procedure.

I voluntarily request **Dr. Rod J. Rohrich**, as my physician, and such associates, technical assistants and other health care providers as they may deem necessary, to perform the following operation upon me: \_\_\_\_\_

BodyTite Neck

with respect to the following conditions:

I understand that my physician may discover other or different conditions which require additional or different procedures than those planned. I (we) authorize my physician, and such associates, technical assistants and other health care providers to perform such other procedures which are advisable in their professional judgment.

I **(DO)** (DO NOT) consent to the use of blood and blood products as deemed necessary. (Circle one)  
I understand that no warranty or guarantee has been made to me as to result or cure. I realize that common to surgical, medical, and/or diagnostic procedures is the possibility for complications which include but are not exclusive of: deep venous thrombosis, allergic reactions, infection, bleeding (hematoma), unsatisfactory result, excessive scarring, loss of nerve function or damage to blood vessels, loss of flap and/or graft, asymmetry, reaction to local/general anesthesia, the need for revisional surgery, no improvement in the result, pulmonary embolism and even death.

At the time of the signing of this consent form, are you pregnant? Yes No  
(If you become pregnant before your surgery date - you **MUST NOTIFY US IMMEDIATELY**)

I understand that anesthesia involves additional risks and hazards but I request the use of anesthetics for the relief and protection from pain during the planned and additional procedures. I realize the anesthesia may have to be changed possibly without explanation to me. I understand that certain complications may result from the use of any anesthetic including respiratory problems, drug reaction, paralysis, brain damage or even death. Other risks and hazards which may result from the use of general anesthetics range from minor discomfort to injury to vocal cords, teeth or eyes. I understand that other risks and hazards resulting from spinal or epidural anesthetics include headache and chronic pain.

I understand that photography is important in planning and evaluating surgery, and I give my permission for photographs to be taken of the appropriate portion of my body before, during and after my surgery for the purposes of documentation. These photographs may be used for scientific, medical or education purposes. I understand that I will not be identified by name in these photographs or publications. I herein relinquish any right, title or interest in such photographs or slides. If computer imaging was viewed, I understand that it is not presented as a guarantee or a postoperative result, but only as a possible representation of the postoperative result. I understand that computer imaging does not take individual wound healing/scar formation into account consent to the photographing of the operation or procedures to be performed, including appropriate portions of my body, for medical, scientific or educational purposes. If imaging was viewed, I understand that it is not presented as any guarantee or post operative result but only as a possible representation of the post operative result.

I know that the practice of medicine and surgery is not an exact science and that, therefore, reputable practitioners cannot guarantee results. No guarantee or assurance has been given by anyone as to the results that may be obtained. I agree to keep Dr. Rohrich and his office staff informed of any change in my permanent address so that he may keep me informed of any important finding related to my surgery. I further agree to cooperate with him in my after care until I am discharged from his care.

I have been given an opportunity to ask questions about my condition, alternative forms of anesthesia and treatment, risks of non treatment, the procedures to be used, and the risks and hazards involved. and I believe that I have sufficient information to give this informed consent. I certify this information has been explained to me, that I have read it or have had it read to me, that the blank spaces have been filled in, and that I understand the contents. Please DO NOT give your permission or sign this consent form if you have any questions regarding your procedure(s). Please advise Dr. Rohrich's office of your questions or concerns so that arrangements can be made for Dr. Rohrich to address them with you.)

DATE 11-8-18 Patient's Printed Name Gabriella Speranza  
PATIENT/Other Legally Responsible Person's Signature [Signature]  
WITNESS (Name) \_\_\_\_\_  
WITNESS SIGNATURE \_\_\_\_\_


{I (we) understand an example of such a financial interest would be a consulting relationship or stock interest in any business entity which is included in the subject matter of the manuscript or which sells a product relating to the subject matter of the manuscript.}


In addition to filling out and signing this declaration, *I acknowledge that I (we) also made complete disclosure in the manuscript itself*, stating all sources of funds that have supported this work and also a statement of financial interest, if any. Each author on the manuscript has disclosed any commercial association or financial disclosure that might pose a conflict of interest with information presented in this manuscript. *If the authors have no financial interest or commercial association with any of the subject matter or products mentioned in our manuscript, that too will be indicated.* I (we) hereby agree that such disclosures will be printed with the manuscript if it is accepted.


Furthermore, I (we) understand that potential sanctions may be imposed by *Plastic and Reconstructive Surgery* for violation of this complete disclosure policy. I (we) understand that potential disciplinary actions may include warning letters, refusal to publish an article in question, retraction of a published paper, notification to our primary institution, and/or exclusion from publication in *Plastic and Reconstructive Surgery* for a specified time frame.

The corresponding author has the obligation of having any and all co-authors sign this form and date his or her signature.

**Each author must sign and date:**

 10/29/19  
\_\_\_\_\_  
Signature and Date

 10/29/19  
\_\_\_\_\_  
Signature and Date

 2-7-2020  
\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

\_\_\_\_\_  
Signature and Date

Copyright© 2013 American Society of Plastic Surgeons  
All rights reserved • Published for the ASPS by Lippincott Williams & Wilkins



City \_\_\_\_\_ State \_\_\_\_\_

DOB: \_\_\_\_\_ Sex: \_\_\_\_\_  
SSN: XXX-XX-\_\_\_\_\_

Authorization for Audio Recording,  
Photography or other Images,  
for Non Treatment Purposes  
Including Social Media

I hereby authorize Dr. Rod Rohrich and the Dallas Plastic Surgery Institute (DPSI) to make audio recordings of  
to take photographs, videotape, or digital images of me ("Images"). I understand that DPSI may use and  
release my images to the general public for the following purposes: (1) educational lectures and presentation  
for health care professionals; (2) scientific publications such as journals or books; (3) patient education  
materials; (4) broadcast, print or internet and social media for educational or public interest purposes.

I understand that after release of my images to the general public, they may be subject to redisclosure. I  
understand this authorization is voluntary and I may refuse to sign. Dr. Rod Rohrich or Dallas Plastic Surge  
Institute may not condition my health care services on the completion of this authorization.

Unless otherwise revoked, I understand that this authorization will expire 50 years from the date of signature.  
I understand that I may revoke this authorization at any time, except to the extent that Dr. Rod Rohrich or  
Dallas Plastic Surgery Institute has relied on this authorization, by sending a written statement of revocation  
that specifically refers to this authorization to:

Rod J. Rohrich, M.D.  
Dallas Plastic Surgery Institute  
9101 N. Central Expressway  
Suite 600  
Dallas, Texas 75231

I hereby release Dr. Rod Rohrich, Dallas Plastic Surgery Institute and employees from any and all liability  
connected with the capture, use or release of my images.

By signing this authorization, I acknowledge that I have read and understand the statements contained  
herein.

Patient:  
Print Name: Mara Horie  
Signature: Mara Horie  
Date: 4/7/18

If Patient Has a Legal Representative, Complete the Following:  
Print Name of Patient: \_\_\_\_\_  
Print Name of Legal Representative: \_\_\_\_\_  
Relationship to Patient: \_\_\_\_\_

By signing this authorization, I certify that I have the legal authority to serve as the above named  
representative.  
Signature of Legal Representative: \_\_\_\_\_ Date: \_\_\_\_\_